


Dicoal

FOOD RAW MATERIALS

BOVINE FAT



BOVINE FAT

RAW MATERIAL SPECIFICATION

Vacuum grease obtained from slaughter and trimming, Standardized according to SAG resolution.

- Origin: Animal.
- Use: Animal feed, Authorized by SAG.

NUTRITIONAL PROPERTIES

Parameter	Value	Unit
AC linoleic	0.5 - 5	%
AC linolenic	0 - 2	%
AC oleic	3.0 Min.	%
Ác, Palmítico	20 - 37	%

PHYSICAL-CHEMICAL PROPERTIES

Parameter	Value	Unit	Method reference
Oleic Acidity (Ac, Free Fats)	3.0 máx.	%	Chilean Standard NCh95,Of81
Humidity	0.5 máx.	%	Chilean Standard NCh 100/2, Of81
Iodine Index	40 - 48	%	AOCS Standard Tg1a-641983
Impurities	0.1 máx.	%	Chilean Standard NCh 101,of81
Peroxide index	5.0 máx.	Meq O2/kg	Chilean Standard NCh105,of80
Fusion Point	43 - 49	°C	Chilean Standard NCh104,Of58

ORGANOLEPTIC PARAMETERS

Parameter	Characteristic	Method reference
Appearance	Free of Impurities	Sensory
Color	Characteristic	Sensory
Smell	Characteristic, without rancid, acidic or strange aroma	Sensory

FOOD SAFETY CRITERIA

The product must be harmless, that is, it must comply with the established criteria and parameters and be free of foreign substances (insects, metals, wood, plastics, etc.). It must maintain its original nature.

ADDITIVES

- Authorized antioxidants based on BHA-BHT.

CONTAINER

- Stainless steel tank truck 15-28 ton.